PAIN

Pain 80 (1999) 667–669

Contents to Volume 80 (1999)

Numbers 1,2 – March 1999

REVIEW ARTICLE

Systematic review and meta-analysis of randomized controlled trials of cognitive behaviour therapy and behaviour therapy for chronic pain in adults, excluding headache
S. Morley, C. Eccleston, A. Williams (UK) 1

RESEARCH PAPERS

Myofascial TMD does not run in families
K.G. Raphael, J.J. Marbach, R.M. Gallagher, B.P. Dohrenwend (USA) 15
Anesthesia-based pain services improve the quality of postoperative pain management
C. Miaskowski, J. Crews, L.B. Ready, S.M. Paul, B. Ginsberg (USA) 23
Exogenous and endogenous adenosine enhance the spinal antiallodynic effects of morphine in a rat model of neuropathic pain
P.M. Lavand'homme, J.C. Eisenach (Belgium, USA) 31
Redox manipulation of NMDA receptors in vivo: alteration of acute pain transmission and dynorphin-induced allodynia
T.M. Laughlin, K.F. Kitto, G.L. Wilcox (USA) 37
Peripheral antinociceptive action of amitriptyline in the rat formalin test: involvement of adenosine
J. Sawynok, A.R. Reid, M.J. Esser (Canada) 45
Differential effects of neurotoxic destruction of descending noradrenergic pathways on acute and persistent nociceptive processing
W.J. Martin, N.K. Gupta, C.M. Loo, D.S. Rohde, A.I. Basbaum (USA) 57
Heritability of nociception I: responses of 11 inbred mouse strains on 12 measures of nociception
J.S. Mogil, S.G. Wilson, K. Bon, S. Eun Lee, K. Chung, P. Raber, J.O. Pieper, H.S. Hain, J.K. Belknap, L. Hubert, G.I. Elmer, J. Mo Chung, M. Devor (USA, Israel) 67
Heritability of nociception. II. 'Types' of nociception revealed by genetic correlation analysis
J.S. Mogil, S.G. Wilson, K. Bon, S. Eun Lee, K. Chung, P. Raber, J.O. Pieper, H.S. Hain, J.K. Belknap, L. Hubert, G.I. Elmer, J. Mo Chung, M. Devor (USA, Israel) 83
Hemisensory impairment in patients with complex regional pain syndrome
O. Rommel, M. Gehling, R. Dertwinkel, K. Witscher, M. Zenz, J-P. Malin, W. Jänig (Germany) 95
Differential inhibitory effect on human nociceptive skin senses induced by local stimulation of thin cutaneous fibers
H.-J. Nilsson, J. Schouenborg (Sweden) 103
Predictors of early improvement in low back pain amongst consulters to general practice: the influence of pre-morbid and episode-related factors
G.J. Macfarlane, E. Thomas, P.R. Croft, A.C. Papageorgiou, M.I.V. Jayson, A.J. Silman (UK) 113
Potential uses of topical opioids in palliative care – report of 6 cases
M. Krajnik, Z. Zylicz, I. Finlay, J. Luczak, A.A. van Sorge (Poland, The Netherlands, UK) 121
Nucleus reticularis gigantocellularis and nucleus raphe magnus in the brain stem exert opposite effects on behavioral hyperalgesia and spinal Fos protein expression after peripheral inflammation
F. Wei, R. Dubner, K. Ren (USA) 127
Heel lancing in term new-born infants: an evaluation of pain by frequency domain analysis of heart rate variability
V. Lindh, U. Wiklund, S. Håkansson (Sweden) 143
Assessment of peripheral sympathetic nervous function for diagnosing early post-traumatic complex regional pain syndrome type I
M. Schürmann, G. Gradl, H.-J. Andress, H. Fürst, F.-W. Schildberg (Germany) 149
Spinal nerve ligation-induced neuropathy in the rat: sensory disorders and correlation between histology of the peripheral nerves
M. Röyttä, H. Wei, A. Pertovaara (Finland) 161
Patterns of hyperalgesia in complex regional pain syndrome
N. Sieweke, F. Birklein, B. Riedl, B. Neundörfer, H.O. Handwerker (Germany) 171
Unravelling age effects and sex differences in needle pain: ratings of sensory intensity and unpleasantness of venipuncture pain by children and their parents
B. Goodenough, W. Thomas, G.D. Champion, D. Perrott, J.E. Taplin, C.L. von Baeyer, J.B. Ziegler (Australia, Canada) 179
Electrophysiological testing of the trigeminofacial system: aid in the diagnosis of atypical facial pain
S.K. Jääskeläinen, H. Forssell, O. Tenovuo (Finland) 191
Indirect costs of back pain in the Netherlands: a comparison of the human capital method with the friction cost method
R.C.W. Hutubessy, M.W. van Tulder, H. Vondeling, L.M. Bouter (The Netherlands) 201
Hyperalgesia with reduced laser evoked potentials in neuropathic pain
Q. Wu, L. García-Larrea, P. Mertens, A. Beschet, M. Sindou, F. Mauguière (France) 209

The effectiveness of spinal and systemic morphine on rat dorsal horn neuronal responses in the spinal nerve ligation model of neuropathic pain
R. Suzuki, V. Chapman, A.H. Dickenson (UK) 215
A comparison of 50, 100 and 200 mg of intra-articular pethidine during knee joint surgery, a controlled study with evidence for local demethylation to norpethidine
A. Söderlund, L.O. Boreus, L. Westman, B. Engström, A. Valentin, A. Ekblom (Sweden) 229
The impact of clinical, morphological, psychosocial and work-related factors on the outcome of lumbar discectomy
V. Schade, N. Semmer, C.J. Main, J. Hora, N. Boos (Switzerland, UK) 239
Electroencephalographic responses to the formalin test in rats
F. Ichinose, M. Miyazaki, T. Goto, H. Takahashi, K. Terui, Y. Niimi, S. Uezono, S. Morita, H. Yanagida (Japan) 251
The effect of compression and regional anaesthetic block on referred pain intensity in humans
R.J. Laursen, T. Graven-Nielsen, T.S. Jensen, L. Arendt-Nielsen (Denmark) 257
Painful and painless peripheral sensory neuropathies due to HIV infection: a comparison using quantitative sensory evaluation
D. Bouhassira, N. Attal, J.-C. Willer, L. Brasseur (France) 265
Immunocytochemical localization of P_{2X3} purinoceptors in sensory neurons in naive rats and following neuropathic injury
S.D. Novakovic, L.C. Kassotakis, I.B. Oglesby, J.A.M. Smith, R.M. Eglen, A.P.D.W. Ford, J.C. Hunter (USA) 273
Behavioral dimensions of adjustment in persons with chronic pain: pain-related anxiety and acceptance
L.M. McCracken, I.L. Spertus, A.S. Janeck, D. Sinclair, F.T. Wetzel (USA) 283
Nicotinic cholinergic receptors: potential targets for inflammatory pain relief
N.B. Lawand, Y. Lu, K.N. Westlund (USA) 291
Spinal neurokin$_3$ receptors facilitate the nociceptive flexor reflex via a pathway involving nitric oxide
D.R. Linden, Y.-P. Jia, V.S. Seybold (USA) 301
Spinal neurokinin$_3$ receptors mediate thermal but not mechanical hyperalgesia via nitric oxide
D.R. Linden, V.S. Seybold (USA) 309
Traction on the mesentery as a model of visceral nociception
U. Holzer-Petsche, B. Brodacz (Austria) 319
Pain-related fear is more disabling than pain itself: evidence on the role of pain-related fear in chronic back pain disability
G. Crombez, J.W.S. Vlaeyen, P.H.T.G. Heuts, R. Lysens (Belgium, The Netherlands) 329
Behavioural measures of depression and anxiety in rats with spinal nerve ligation-induced neuropathy
V.K. Kontinen, T. Kauppila, S. Paananen, A. Pertovaara, E. Kalso (Finland) 341
Are there long-term changes in the basal or evoked Fos expression in the dorsal horn of the spinal cord of the mononeuropathic rat?
G. Catheline, S. Le Guen, P. Honoré, J.-M. Besson (France) 347
Pain sensitivity, cerebral laterality, and negative affect
P. Pauli, G. Wiedemann, M. Nickola (Germany) 359
Patient utilities in chronic musculoskeletal pain: how useful is the standard gamble method?
M.E.J.B. Goossens, J.W.S. Vlaeyen, M.P.M.H. Rutten- van Mölken, S.M.J.P. van der Linden (The Netherlands) 365
Pain threshold and tolerance in Alzheimer's disease
F. Benedetti, S. Vighetti, C. Ricco, E. Lagna, B. Bergamasco, L. Pinessi, I. Rainero (Italy) 377
Enadoline, a selective κ-opioid receptor agonist shows potent antihyperalgesic and antiallodynic actions in a rat model of surgical pain
M.J. Field, A.J. Carnell, M.I. Gonzalez, S. McCleary, R.J. Oles, R. Smith, J. Hughes, L. Singh (UK) 383
Gabapentin and pregabalin, but not morphine and amitriptyline, block both static and dynamic components of mechanical allodynia induced by streptozocin in the rat
M.J. Field, S. McCleary, J. Hughes, L. Singh (UK) 391
Nefopam strongly depresses the nociceptive flexion (R_{III}) reflex in humans
F. Guirimand, X. Dupont, D. Bouhassira, L. Brasseur, M. Chauvin (France) 399
Nitroprusside inhibits thermal hyperalgesia induced by noradrenaline in capsaicin-treated skin
P.D. Drummond (Australia) 405
Inhibition of evoked C-fibre responses in the dorsal horn after contralateral intramuscular injection of capsaicin involves activation of descending pathways
J. Gjerstad, A. Tjølsen, F. Svendsen, K. Hole (Norway) 413
Neurotoxicity of midazolam in the rabbit
S. Erdine, A. Yücel, S. Özyalcýn, E. Özyuvacı, G.K. Talu, B. Ahıskalı, H. Apak, N. Savcı (Turkey) 419
The relationship of arthritis self-efficacy to daily pain, daily mood, and daily pain coping in rheumatoid arthritis patients
J.C. Lefebvre, F.J. Keefe, G. Affleck, L.B. Raezer, K. Starr, D.S. Caldwell, H. Tennen (USA) 425

CLINICAL NOTES

The longer term effect of pulsed radiofrequency for neuropathic pain
R. Munglani (UK) 437
Successful treatment of whiplash-type injury induced severe pain syndrome with epidural stimulation: a case report
O.A. Kirvelä, E. Kotilainen (Finland) 441
Central pain as a manifestation of partial epileptic seizures
J. Scholz, P. Vieregge, A. Moser (Germany) 445

LETTER TO THE EDITOR

Reply to M.I. Weintraub
D.G. Simmons (USA) 451

Number 3 – April 1999

REVIEW ARTICLE

Are opioids effective in relieving neuropathic pain?
P. Dellemijn (The Netherlands) 453

RESEARCH PAPERS

Effects of trkB and trkC neurotrophin receptor agonists on thermal nociception: a behavioral and electrophysiological study
X.-Q. Shu, A. Llinas, L.M. Mendell (USA) 463
Validation of the chronic pain coping inventory
H.D. Hadjistavropoulos, F.K. MacLeod, G.J.G. Asmundson (Canada) 471
Self efficacy as a mediator of the relationship between pain intensity, disability and depression in chronic pain patients
P. Arnstein, M. Caudill, C.L. Mandle, A. Norris, R. Beasley (USA) 483
Jaw electromyographic activity induced by the application of algesic chemicals to the rat tooth pulp
M. Sunakawa, C.Y. Chiang, B.J. Sessle, J.W. Hu (Canada) 493
Behavioral manifestations of neuropathic pain and mechanical allodynia, and changes in spinal dorsal horn neurons, following L4–L6 dorsal root constriction in rats
E. Tabo, S.L. Jinks, J.H. Eisele Jr., E. Carstens (Japan, USA) 503
Differential efficacy of intravenous lidocaine in alleviating ipsilateral versus contralateral neuropathic pain in the rat
C.J. Sinnott, J.M. Garfield, G.R. Strichartz (USA) 521
Topical lidocaine patch relieves postherpetic neuralgia more effectively than a vehicle topical patch: results of an enriched enrollment study
B.S. Galer, M.C. Rowbotham, J. Perander, E. Friedman (USA) 533
Epidemiology of complex regional pain syndrome: a retrospective chart review of 134 patients
G. Allen, B.S. Galer, L. Schwartz (USA) 539
Intra-subject variability in post-operative patient-controlled analgesia (PCA): is the patient equally satisfied with morphine, pethidine and fentanyl?
A. Woodhouse, M.E. Ward, L.E. Mather (Australia) 545
Methylprednisolone prevents the development of autotomy and neuropathic edema in rats, but has no effect on nociceptive thresholds
W.S. Kingery, J.M. Castellote, M. Maze (USA, Spain) 555
A comparison of the burst activity of lateral thalamic neurons in chronic pain and non-pain patients
V. Radhakrishnan, J. Tsoukatos, K.D. Davis, R.R. Tasker, A.M. Lozano, J.O. Dostrovsky (Canada) 567
Chronic pain-associated behaviors in the nursing home: resident versus caregiver perceptions
D. Weiner, B. Peterson, F. Keefe (USA) 577
Adrenergic sensitivity of the sensory receptors modulating mechanical allodynia in a rat neuropathic pain model
D.E. Moon, D.H. Lee, H.C. Han, J. Xie, R.E. Coggeshall, J.M. Chung (USA) 589
The effect of phorbol esters on spinal cord amino acid concentrations and responsiveness of rats to mechanical and thermal stimuli
J. Palecek, V. Paleckova, W.D. Willis (USA, Czech Republic) 597
Psychosocial correlates of long-term sick-leave among patients with musculoskeletal pain
G. Grossi, J.J.F. Soares, J. Ängeslevä, A. Perski (Sweden) 607
In the system: the lived experience of chronic back pain from the perspectives of those seeking help from pain clinics
J. Walker, I. Holloway, B. Sofaer (UK) 621
Cost-of-illness of neck pain in The Netherlands in 1996
J.A.J. Borghouts, B.W. Koes, H. Vondeling, L.M. Bouter (The Netherlands) 629
Topical EMLA® pre-treatment fails to decrease the pain induced by 1% topical capsaicin
P.N. Fuchs, M. Pappagallo, R.A. Meyer (USA) 637
Acute amitriptyline in a rat model of neuropathic pain: differential symptom and route effects
M.J. Esser, J. Sawynok (Canada) 643
The roles of child reactivity and parenting context in infant pain response
S.D. Sweet, P.J. McGrath, D. Symons (Canada) 655

Author Index to Volume 80 663
Volume Contents to Volume 80 667